

MATERIAL SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

RubberCoat™ - Wall Membrane

Company:

Campbridge Paints Incorporated
29-D General Tirona Street, Caloocan City, Philippines
Telephone: (632) 252-0531 (connecting all departments)
Fax number: (632) 252-0551
Email: campbridge@campbridge.com
Website: www.campbridge.com

2. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients	CAS Reg. #
Water	7732-18-5
Titanium Dioxide	13463-67-7
Calcium Carbonate	1317-65-3
Crosslinker	N/A
SBR Polymer	9003-55-8
Polysiloxane Copolymer	N/A

3. HAZARDS IDENTIFICATION

Potential Health Effects

Acute Effects

Eyes : Direct contact may cause severe irritation.

Skin : Brief contact is irritating to the skin. Prolonged contact may cause skin irritation.

Inhalation: May irritate nose and throat.

Ingestion: Harmful if swallowed.

4. FIRST AID MEASURES

General Advice: Remove contaminated clothing

Inhalation: Keep patient calm, move to fresh air, seek medical attention.

Skin contact: Wash thoroughly with soap and water

Eye contact: Immediately wash affected eyes under running water with eyelids held open, consult a doctor if irritation occurs.

Ingestion: Rinse mouth immediately, drink plenty of water and seek medical attention.

5. FIRE FIGHTING MEASURES

Flammability Classification: Not Regulated

Extinguishing Media: Not Applicable

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Wear personal protective equipment. Avoid contact with skin and eyes.

Environmental Precautions

Do not release untreated into natural waters.

Containment/Clean up

For small amounts: Pick up suitable absorbent material (e.g. sand). Dispose of absorbed material in accordance with regulations.

7. HANDLING AND STORAGE

Handling

Use in well-ventilated areas. Keep containers closed when not in use. Keep out of reach of children.

Storage

Store in a cool and well-ventilated area. Keep container tightly closed when not in use. Keep out of reach of children.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION / PERSONAL PROTECTIVE EQUIPMENT

Respiratory Protection

None required under normal operation conditions. Use with adequate ventilation.

General Safety and Hygiene Measures

Hands and/or face should be washed before breaks and at the end of the shift.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Liquid
Odour	Rubber
pH	8.5 - 9.0
Density	1.42 ± 0.10%
Weight Solids	66.00 ± 1.00%
Volume Solids	52.00 ± 1.00%
Flash Point	Not Applicable

10. STABILITY AND REACTIVITY

Conditions to Avoid	:	Avoid extreme temperature
Stability	:	Material is considered stable
Substance to Avoid	:	No substances known should be avoided

11. TOXICOLOGICAL INFORMATION

Acute toxicity	:	No data available
Carcinogenicity	:	No data available
Reproductive Toxicity	:	No data available

12. ECOLOGICAL INFORMATION

Do not leak or waste in the environment. Proper waste disposal should be implemented.

13. DISPOSAL CONSIDERATIONS

Materials must be disposed in accordance with government.

14. TRANSPORT INFORMATION

Classification not regulated.

15. REGULATORY INFORMATION

Classification not regulated.

16. OTHER INFORMATION

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Cambridge Paints Inc. be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Cambridge Paints Inc. has been advised of the possibility of such damages.